

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 Product identifier

> **Product Name** NEOASTRA DG - AEROSOL.

CAS No. Mixture. EINECS No. Mixture. REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) For use in the Magnetic Particle Inspection Process (BS EN

ISO 9934-2).

Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

> Company Identification Johnson and Allen Ltd

> > Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066

Telephone 0114 2729842

E-Mail (competent person) info@johnsonandallen.co.uk

1.4 **Emergency telephone number**

Emergency Phone No. 0114 2738066 (UK office hours 08.30-17.00)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aerosol 1; Extremely flammable aerosol. Pressurised

container: May burst if heated.

Asp. Tox. 1: May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name NEOASTRA DG - AEROSOL.

Hazard Pictogram

GHS02 GHS08

Danger.

Signal word(s) Hazard statement(s) H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or

cracking.

Revision: 6.1 Page: 1/8 Date: 19/02/2020



Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition

source.

P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do no expose to

temperatures exceeding 50°C/ 122°F.

P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

2.3 Other hazards None.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Substances

Not applicable.

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Hydrocarbons, C12- C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	>90	None assigned	920-107-4	01-2119453414- 43-0001	GHS08, Asp. Tox. 1; H304, EUH066
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280

3.3 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing. If symptoms

persist, obtain medical attention.

Skin Contact Wash with plenty of soap and water. Remove contaminated

clothing and wash clothing before reuse. If symptoms

persist, obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding

eyelids open. If symptoms persist, obtain medical attention. IF SWALLOWED: Do NOT induce vomiting. Immediately

call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both

acute and delayed

Ingestion

Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Repeated exposure may cause skin

dryness or cracking.

Revision: 6.1 Page: 2/8 Date: 19/02/2020



4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

Flammable aerosol. Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

Extinguish with waterspray, foam or dry chemical.

None known.

Heating may cause pressure rise with risk of bursting.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

Ensure adequate ventilation. Wear suitable gloves and eye/face protection.

Do not release large quantities into the surface water or into

drains.

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.

See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Provide adequate ventilation. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke during work. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

Storage Life

7.3

Incompatible materials

Specific end use(s)

Ambient. Do not expose to temperatures exceeding $50^{\circ}\text{C}/122^{\circ}\text{F}$.

Stable under normal conditions.

Store locked up. Protect from sunlight.

Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

For use in the Magnetic Particle Inspection Process (BS EN

ISO 9934-2).

Revision: 6.1 Page: 3/8 Date: 19/02/2020



8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear suitable eye/face protection.



Skin protection (Hand protection/ Other) Wear suitable protective clothing and gloves.



Respiratory protection Not normally required. Wear a suitable respirator if the



Thermal hazards

ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

During spraying wear suitable respiratory equipment: A suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor.

Not applicable.

8.2.3 Environmental Exposure ControlsDo not release large quantities into the surface water or into

drains

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Aerosol.

Colour Green (Shaken).
Odour Paraffinic.
Odour Threshold Not available.
pH Not applicable.
Melting Point/Freezing Point Not applicable.

Initial boiling point and boiling range 235 – 270 °C [Kerosene – unspecified – Distillates

(petroleum), hydrotreated light]

Flash Point >100 °C

Revision: 6.1 Page: 4/8 Date: 19/02/2020



Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Relative density

Solubility(ies)

Not applicable.

Not available.

Not available.

Immiscible with water.

Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not available.

Kinematic Viscosity 3.2 cSt

Explosive properties Not explosive.

Oxidising properties Not oxidising.

9.2 Other information

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

None.

10.4 Conditions to avoid Heat and direct sunlight.

10.5 Incompatible materials Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rat): > 5000mg/kg (OECD401).

Inhalation Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <

2% aromatics: LC50 (rat) 4hour(s): > 4951mg/m3

(OECD403).

Skin Contact Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rabbit): > 5000mg/kg (OECD402).

Eye Contact Low acute toxicity.

Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation Non-irritant.

Respiratory or skin sensitisationNot expected to be a skin or respiratory sensitiser. **Germ cell mutagenicity**There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity.

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Not classified.

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways. Aspiration into

the lungs may cause chemical pneumonitis, which can be

fatal. None.

11.2 Other information

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

Revision: 6.1 Page: 5/8 Date: 19/02/2020



12.2 Persistence and degradability The product is not biodegradable. There is evidence of

photodegradation in air. The product is unlikely to persist in

the environment.

12.3 Bioaccumulative potential The product has potential for bioaccumulation.

Mobility in soil 12.4 Immiscible with water. The product is predicted to have low

> mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Recycle only completely emptied packaging. Containers

> must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill.

Additional Information Disposal should be in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 **UN** number

UN Proper Shipping Name AEROSOLS, Flammable. 14.2

ADR/RID Class

Transport hazard class(es)

IMDG Class 2.1 ICAO/IATA 2.1

Passenger and Cargo Aircraft Limited Quantities

Packing Instructions

Passenger and Cargo Aircraft Limited Quantities

Max net Qty

14.3

Cargo Aircraft Packing Instructions Cargo Aircraft Max net Qty

Emergency Response Guidebook (ERG) Code

ADR Classification Code

IMDG EMS Packing Group Labels

Y203

30 kg G

203 150 kg 10P

F-D, S-U Not applicable

2.1



190 327 344 625

Not classified as a Marine Pollutant.

Special Provisions

Limited Quantities (LQ) Inner packaging

14.4 **Environmental hazards** 14.5 Special precautions for user

Tunnel Restriction Code

14.6 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Revision: 6.1 Page: 6/8 Date: 19/02/2020

D



15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance

or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the All chemicals are not listed.

manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to All chemicals are not listed.

authorisation

REACH: ANNEX IV Exemptions from the Obligation

to Register in accordance with Article 2(7)(a)

Community Rolling Action Plan (CoRAP)

All chemicals are not listed.

Other EU regulations This product is not classified as a Volatile Organic

Compound according to the Directive 1999/13/EC.

Listed: Carbon dioxide (CAS No.: 124-38-9)

15.1.2 National regulations None known.
15.2 Chemical Safety Assessment Not applicable.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 14

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

OECD Organisation for Economic Cooperation and Development

Aerosol 1 Aerosol Category 1

Press. Gas Gases under pressure: Compressed gas

Asp. Tox. 1 Aspiration hazard Category 1

Hazard statement(s) and Precautionary statement(s)

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

P405 Store locked up.

P501 Dispose of contents in accordance with local, state or national legislation.

Hazard pictogram(s)

Revision: 6.1 Page: 7/8 Date: 19/02/2020



GHS04



GHS08



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.

Revision: 6.1 Page: 8/8 Date: 19/02/2020