

JAD DEVELOPER - AEROSOL **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 **Product identifier**

> **Product Name** JAD DEVELOPER - AEROSOL.

CAS No. Mixture. EINECS No. Mixture. REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) For use in the Dye Penetrant Inspection Process BS EN ISO

571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2 when

used in conjunction with penetrant family products).

Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Johnson and Allen Ltd

> **Neocol Works** Smithfield Sheffield S3 7AR.

0114 2738066 Telephone 0114 2729842

E-Mail (competent person) info@johnsonandallen.co.uk

1.4 **Emergency telephone number**

> Emergency Phone No. 0114 2738066. (UK office hours 08.30-17.00)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aerosol 3; Pressurised container: May burst if heated.

> Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation. Carc. 2; Suspected of causing cancer.

STOT RE 2; May cause damage to organs through prolonged

or repeated exposure: Liver.

STOT SE 3; May cause respiratory irritation. May cause

drowsiness or dizziness.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP) **Product Name** JAD DEVELOPER - AEROSOL.

Hazard Pictogram



GHS07

Warning.

Signal word(s) Hazard statement(s)

H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness.

Revision: 8 Page: 1/8 Date: 13/02/2017



H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or

repeated exposure: Liver.

Precautionary statement(s) P201: Obtain special instructions before use.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use.

P260: Do not breathe vapour/spray.

P271: Use only outdoors or in a well-ventilated area. P410+P412: Protect from sunlight. Do not expose to

temperatures exceeding 50°C/ 122°F.

2.3 Other hazards None.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Substances

Not applicable.

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Dichloromethane	70-90	75-09-2	200-838-9	None assigned	GHS08, Carc. 2; H351, STOT RE 2; H373, GHS07, Skin Irrit. 2; H315, Eye Irrit. 2; H319, STOT SE 3; H335, H336
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280
Powder Dispersion Agent	<1	66455-14-9	500-165-3	None assigned	GHS05, Eye Dam. 1; H318, GHS09, Aquatic Acute 1; H400

3.3 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER/doctor if

you feel unwell.

Skin Contact IF ON SKIN: Wash with plenty of water. Take off

contaminated clothing and wash it before reuse. If skin

irritation occurs: Get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Unlikely route of exposure.

Revision: 8 Page: 2/8 Date: 13/02/2017



4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Headache, dizziness, nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

If exposed or concerned: Get medical advice/attention.

5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media Unsuitable Extinguishing Media Foam, Carbon dioxide, Water fog or dry powder. Water jet spray.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting.

Decomposes in a fire giving off toxic fumes: Phosgene,
Hydrochloric acid, Carbon monoxide, Carbon dioxide,

Nitrogen oxides.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoid inhalation of high concentrations of vapours. Wear protective gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautions

6.3

Do not release large quantities into the surface water or into drains.

Methods and material for containment and

Adsorb spillages onto sand, earth or any suitable adsorbent

cleaning up

material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.

6.4 Reference to other sections

See Also Section 8 and 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Use only outdoors or in a well-ventilated area. Do not breathe vapour/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Store in a well-ventilated place. Keep container tightly

7.2 Conditions for safe storage, including any incompatibilities

 incompatibilities
 closed. Protect from sunlight. Store locked up.

 Storage Temperature
 Ambient. Do not expose to temperatures exce

Ambient. Do not expose to temperatures exceeding 50°C/122°F.

Storage Life

Stable under normal conditions.

Incompatible materials

Strong oxidising agents, Acids, Alkalis, Zinc, Aluminium.

Revision: 8 Page: 3/8 Date: 13/02/2017



7.3 Specific end use(s)

For use in the Dye Penetrant Inspection Process BS EN ISO 571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2 when used in conjunction with penetrant family products).

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dichloromethane	75-09-2	100	350	300	1060	WEL, BMGV, Sk
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

Bmgv: Biological monitoring guidance value (UK HSE EH40)

Sk - Can be absorbed through skin.

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear suitable eye/face protection.



Skin protection (Hand protection/ Other) Wear suitable protective clothing and gloves. Impervious

1117

Respiratory protection Wear a suitable respirator if the ventilation is not sufficient to

keep the solvent vapour concentration below the

occupational limit values. A suitable mask with filter type AX

may be appropriate.

gloves (EN 374).

Thermal hazards Not applicable.

8.2.3 Environmental Exposure ControlsDo not release large quantities into the surface water or into

drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Aerosol. Colour White.

Odour
Odour Threshold
PH
Not available.
Melting Point/Freezing Point
Not applicable.

Melting Point/Freezing Point
-97°C
Initial boiling point and boiling range
Flash Point
Not available.

Evaporation rate
Flammability (solid, gas)

Upper/lower flammability or explosive limits

Not available.
Not applicable.
Non-flammable.
Not applicable.

Revision: 8 Page: 4/8 Date: 13/02/2017



Vapour pressure
Vapour density
Relative density
Not available.
1.32g/l @ 20°C

Solubility(ies) Slightly soluble in: Water. Partition coefficient: n-octanol/water 1.25 (Dichloromethane).

Auto-ignition temperature 624°C

Decomposition Temperature Not available. Viscosity Not applicable.

Explosive properties Pressurised container: May burst if heated.

Oxidising properties Not available.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity
 10.2 Chemical stability
 Stable under normal conditions.
 Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid Heat and direct sunlight.

10.5 Incompatible materials Strong oxidising agents, Alkalis, Acids, Zinc, Aluminium.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity

Ingestion Low oral toxicity.

Dichloromethane: LD50 (rat) >2000mg/kg
Inhalation STOT SE 3; May cause drowsiness or dizziness.

Low acute toxicity. Effects and Symptoms: Headache,

dizziness, nausea and vomiting.

Dichloromethane: LC50 (rat) 4hour(s) = 49000mg/m³

Skin Contact Low acute toxicity.

Dichloromethane: LD50 (rat) >2000mg/kg

Eye Contact Low acute toxicity.

Irritation Skin Irrit. 2; Causes skin irritation.

Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause respiratory irritation.

Corrosivity Not classified.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity STOT RE 2; May cause damage to organs through

prolonged or repeated exposure: Liver. Carc. 2; Suspected of causing cancer.

Carcinogenicity Carc. 2; Suspected of causing

Dichloromethane:

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histological type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiological studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely

routes or levels of exposure.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproductionNone anticipated.



11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

Dichloromethane:

Fish: LC50 (96 hour) = 193mg/l

Aquatic invertebrates: EC50 (48 hour) = 109mg/l

12.2 Persistence and degradability The product is biodegradable. The product is unlikely to

persist in the environment.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

Bioconcentration factor (BCF): 2-5.4

12.4 Mobility in soil The product is volatile and will partition into the atmosphere.

The product has high mobility in soil.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers

must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an

approved waste disposal facility.

13.2 Additional Information Disposal should be in accordance with local, state or

2

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number UN 195014.2 UN Proper Shipping Name AEROSOLS.

14.3 Transport hazard class(es)

14.4 Packing Group None.

14.5 Environmental hazards
 14.6 Special precautions for user
 Not classified as a Marine Pollutant.
 None.

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

14.8 Additional Information

14.8.1 ADR/RID Hazard label(s): 2.2 + 6.1

ADR Classification Code: 5T

Special Provisions: 190 327 344 625

Tunnel Restriction Code: D Limited quantity: 120 ml Excepted quantity: E0

Packaging Instructions: P003 LP02 (Special Provisions:

PP17 PP87 RR6 L2, Mixed Provisions: MP9) Special Provisions for Carriage Packages: Bulk: Loading, etc: CV9 CV12 CV28

Operations: S7

14.8.2 IMDG Hazard label(s): 2.2 + 6.1

EmS: F-D, S-U

Special Provisions: 63 190 277 327 959

Limited quantity: SP277 Excepted quantity: E0

Packaging Instructions: P003 (Special Provisions: PP17)

Revision: 8 Page: 6/8 Date: 13/02/2017



14.8.3 ICAO/IATA Hazard label(s): 2.2 + 6.1

Excepted quantity: E0

Cargo Aircraft Only: Packaging Instructions: 203,

Maximum quantity: 150kg

Passenger and Cargo Aircraft: Packaging Instructions: 203,

Maximum quantity: 75kg

Passenger and Cargo Limited Quantity: Packaging Instructions: Y203, Maximum quantity: 30kg

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the

substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the Listed: Dichloromethane (CAS No.: 75-09-2)

manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to All chemicals are not listed.

authorisation

Community Rolling Action Plan (CoRAP) Listed: Dichloromethane (CAS No.: 75-09-2)

15.1.2 National regulations None known.
 15.2 Chemical Safety Assessment Not applicable.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 8, 15

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

OEL Occupational Exposure Limits
BCF Bioconcentration factor
Aerosol 3 Aerosol Category 3

Skin Irrit. 2 Skin corrosion/irritation Category 2
Eye Irrit. 2 Serious eye damage/irritation Category 2
Eye Dam. 1 Serious eye damage/irritation Category 1

STOT SE 3 Specific target organ toxicity — single exposure Category 3
STOT RE 2 Specific target organ toxicity — repeated exposure Category 2

Carc. 2 Carcinogenicity Category 2

Aquatic Acute 1 Hazardous to the aquatic environment Category 1
Press. Gas Gases under pressure: Compressed gas

Hazard statement(s) and Precautionary statement(s)

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.
H318 Causes serious eye da

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Revision: 8 Page: 7/8 Date: 13/02/2017



H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure: Liver.

H400 Very toxic to aquatic life.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s)



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.

Revision: 8 Page: 8/8 Date: 13/02/2017