

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	JAC 3 - AEROSOL.
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or	
	mixture and uses advised against	
	Identified use(s)	 Quick drying cleaner and de-greaser. Suitable for use in the Dye Penetrant Inspection Process BS EN ISO 571-1 1997 (BS EN ISO 3452-2:2006 Sensitivity Level 2 when used in conjunction with penetrant family products). Surface coating.
	Uses advised against	None known.
1.3	Details of the supplier of the Safety Data Sheet	
	Company Identification	Johnson and Allen Ltd
		Neocol Works
		Smithfield
		Sheffield
		S3 7AR.
	Telephone	0114 2738066
	Fax	0114 2729842
	E-Mail (competent person)	info@johnsonandallen.co.uk
1.4	Emergency telephone number	
	Emergency Phone No.	0114 2738066. (UK office hours 08.30-17.00)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)

Aerosol 1; Extremely flammable aerosol. Pressurised container: May burst if heated. Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause drowsiness or dizziness.

2.2 Label elements Product Name Hazard Pictogram

Signal word(s)

Hazard statement(s)

According to Regulation (EC) No. 1272/2008 (CLP) JAC 3 - AEROSOL.



GHS02 GHS07 Danger. H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.



	Precautionary statement(s) Additional Information	 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261: Avoid breathing vapours. P280: Wear protective gloves/eye protection/face protection. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep out of the reach of children.
2.3	Other hazards	Repeated exposure may cause skin dryness or cracking.

2.4 Additional Information

For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Substances

Not applicable.

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	Hazard pictogram(s) and
				Registration No.	Hazard statement(s)
Dimethyl Ether	50-100	115-10-6	204-065-8	01-2119472128-	GHS02, Flam. Gas 1; H220,
				37-0000	GHS04, Press. Gas; H280
Acetone	25-50	67-64-1	200-662-2	01-2119471330-	GHS02, Flam. Liq. 2; H225,
				49-0000	GHS07, Eye Irrit. 2; H319,
					STOT SE 3; H336, EUH066

3.3 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1

Description of first aid measures IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Skin Contact Wash skin with soap and water. If symptoms persist, obtain medical attention. Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue



rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Wash out mouth with water. If symptoms persist, obtain medical attention. Eye Contact: Irritation, Pain. Skin Contact: Repeated exposure may cause skin dryness or cracking. Inhalation: May cause drowsiness or dizziness. Unlikely to be required but if necessary treat symptomatically.

containers cool by spraying with water if exposed to fire.

5. SECTION 5: FIRE-FIGHTING MEASURES

Extremely flammable aerosol. Pressurised container: May burst if heated.

5.1	Extinguishing Media			
	Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide.		
	Unsuitable Extinguishing Media	Water jet spray.		
5.2	Special hazards arising from the substance or mixture	Heating may cause pressure rise with risk of bursting.		
5.3	Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep		

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1	Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Avoid breathing vapours. Avoid contact with eyes. Wear protective gloves/eye protection. Wash hands thoroughly after handling.
6.2	Environmental precautions	Do not release large quantities into the surface water or into drains.
6.3	Methods and material for containment and cleaning up	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.
6.4	Reference to other sections	See Also Section 8 and 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Avoid contact with eyes. Avoid inhalation of high concentrations of vapours. Avoid prolonged skin contact. Wear protective gloves/protective clothing/eye protection/face protection.



Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities Storage Temperature

Storage Life Incompatible materials 7.3 Specific end use(s) Store locked up. Protect from sunlight. Store in a wellventilated place. Ambient. Do not expose to temperatures exceeding 50°C/ 122°F.

Stable under normal conditions.

None known.

- Quick drying cleaner and de-greaser. Suitable for use in the Dye Penetrant Inspection Process BS EN ISO 571-1 1997 (BS EN ISO 3452-2:2006 Sensitivity Level 2 when used in conjunction with penetrant family products).
- Surface coating.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dimethyl Ether	115-10-6	400	766	500	958	WEL
Acetone	67-64-1	500	1210	1500	3620	WEL

- WEL: Workplace Exposure Limit (UK HSE EH40)
- 8.1.2 Biological limit value
- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards8.2.3Environmental Exposure Controls

Not established.

Not established.

Provide adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

Wear suitable eye/face protection.

Wear suitable gloves if prolonged skin contact is likely.

In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type AX may be appropriate.

Not applicable. Do not release large quantities into the surface water or into drains.



9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties			
	Appearance	Aerosol.		
	Colour	Colourless.		
	Odour	Characteristic.		
	Odour Threshold	Not available.		
	рН	Not applicable.		
	Melting Point/Freezing Point	Not applicable.		
	Initial boiling point and boiling range	-24 °C		
	Flash point	-42 °C		
	Evaporation rate	Not available.		
	Flammability (solid, gas)	Not applicable.		
	Upper/lower flammability or explosive limits	2.6 – 18.6 Vol-%		
	Vapour pressure	5200 hPa @ 20 °C		
	Vapour density	Not available.		
	Relative density	0.732 g/cm ³ @ 20 °C		
	Solubility(ies)	Immiscible with water.		
	Partition coefficient: n-octanol/water	Not applicable.		
	Auto-ignition temperature	Product is not selfigniting.		
	Ignition temperature	235 °C		
	Decomposition Temperature	Not available.		
	Kinematic Viscosity	Not applicable.		
	Explosive properties	Pressurised container: May burst if heated.		
	Oxidising properties	No information available.		
9.2	Other information			
	Solvent content: Organic solvents	94.0 %		
	Solid content	6.0 %		

10. SECTION 10: STABILITY AND REACTIVITY

10.1 10.2	Reactivity Chemical stability	Stable under normal conditions. Stable under normal conditions.
10.3	Possibility of hazardous reactions	No hazardous reactions known if used for its intended
		purpose.
10.4	Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5	Incompatible materials	None known.
10.6	Hazardous Decomposition Product(s)	No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

Unlikely to cause harmful effects under normal conditions of handling and use.

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity	
Ingestion	Low oral toxicity.
Inhalation	STOT SE 3; May cause drowsiness or dizziness.
Irritation	Eye Irrit. 2; Causes serious eye irritation.
	Repeated exposure may cause skin dryness or cracking.
Corrosivity	Not classified.
Sensitisation	Not expected to be a skin or respiratory sensitiser.
Repeated dose toxicity	None anticipated.



No information available.

Not classified as PBT or vPvB.

the atmosphere.

None.

11.2	Carcinogenicity Mutagenicity Toxicity for reproduction Aspiration hazard Other information	No evidence of carcinogenicity. There is no evidence of mutagenic potential. None anticipated. None anticipated. None.
12. \$	SECTION 12: ECOLOGICAL INFORM	ATION
12.1 12.2	Toxicity Persistence and degradability	Low toxicity to aquatic organisms. Part of the components are poorly biodegradable. Dimethyl ether: 5% (28days) (OECD 301D)

- 12.3 **Bioaccumulative potential**
- 12.4 Mobility in soil

- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill. Disposal should be in accordance with local, state or national legislation.

Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into

13.2 Additional Information

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	UN 1950
14.2	UN Proper Shipping Name	
	ADR/RID/IMDG	AEROSOLS
	ICAO/IATA	AEROSOLS, FLAMMABLE
14.3	Transport hazard class(es)	
	ADR/RID	2
	IMDG/ICAO/IATA	2.1
14.4	Packing Group	None.
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	Warning: Gas
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional Information	
14.8.1	ADR Classification Code	5F
14.8.2	IMDG Code	EmS: F-D, S-U
14.8.3	Tunnel Restriction Code	D

15. SECTION 15: REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1 EU regulations
- Authorisations and/or restrictions on use Candidate List of Substances of Very High Concern All chemicals are not listed. for Authorisation



All chemicals are not listed.

All chemicals are not listed.

All chemicals are not listed.

None known.

Not applicable.

REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles REACH: ANNEX XIV List of substances subject to authorisation Community Rolling Action Plan (CoRAP)

15.1.2 National regulations

15.2 Chemical Safety Assessment

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 8

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
Flam. Gas 1	Flammable gas Category 1
Aerosol 1	Flammable aerosol Category 1
Flam. Liq. 2	Flammable liquid Category 2
Press. Gas	Gases under pressure
Eye Irrit. 2	Serious eye damage/irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3

Hazard statement(s) and Precautionary statement(s)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing vapours.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Hazard pictogram(s)





GHS07





GHS04



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.