

NEOCOL B - AEROSOL



**SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

**1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1 Product identifier</b>	Product Name	NEOCOL B – AEROSOL.
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Identified use(s)	A Black Magnetic Ink for use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2).
	Uses advised against	None known.
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	Company Identification	Johnson and Allen Ltd Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066. 0114 2729842. info@johnsonandallen.co.uk
	Telephone	
	Fax	
	E-Mail (competent person)	
<b>1.4 Emergency telephone number</b>	Emergency Phone No.	0114 2738066. (UK office hours 08.30-17.00).

**2. SECTION 2: HAZARDS IDENTIFICATION**

<b>2.1 Classification of the substance or mixture</b>	<b>Regulation (EC) No. 1272/2008 (CLP)</b>	Aerosol 1; Extremely flammable aerosol. Pressurised container: May burst if heated. Asp. Tox. 1; May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.
<b>2.2 Label elements</b>	Product Name	According to Regulation (EC) No. 1272/2008 (CLP) NEOCOL B – AEROSOL.
	Hazard Pictogram	 
		GHS02      GHS08
	Signal word(s)	Danger.
	Hazard statement(s)	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.

## NEOCOL B - AEROSOL

Precautionary statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211: Do not spray on an open flame or other ignition source.  
 P251: Do not pierce or burn, even after use.  
 P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.  
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 P331: Do NOT induce vomiting.

**2.3 Other hazards**

None.

**2.4 Additional Information**

For full text of H/P Statements see section 16.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	>90	None assigned	920-107-4	01-2119453414-43-0001	GHS08, Asp. Tox. 1; H304, EUH066
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280
Triiron tetraoxide	<1	1317-61-9	215-277-5	01-2119457646-28-0000	None

#### 3.3 Additional Information

For full text of H/P Statements see section 16.

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact

Wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms persist, obtain medical attention.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.

Ingestion

IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

## NEOCOL B - AEROSOL

- |   |   |
|---|---|
| <b>4.2 Most important symptoms and effects, both acute and delayed</b>                | Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Repeated exposure may cause skin dryness or cracking. |
| <b>4.3 Indication of any immediate medical attention and special treatment needed</b> | Unlikely to be required but if necessary treat symptomatically.   |

### 5. SECTION 5: FIRE-FIGHTING MEASURES

Flammable aerosol. Pressurised container: May burst if heated.

- |  |  |
|--|--|
| <b>5.1 Extinguishing Media</b>                                   |  |
| Suitable Extinguishing Media                                     | Extinguish with waterspray, foam or dry chemical.  |
| Unsuitable Extinguishing Media                                   | None known.  |
| <b>5.2 Special hazards arising from the substance or mixture</b> | Heating may cause pressure rise with risk of bursting.   |
| <b>5.3 Advice for fire-fighters</b>                              | Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire. |

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

- |  |  |
|--|--|
| <b>6.1 Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Wear suitable gloves and eye/face protection.   |
| <b>6.2 Environmental precautions</b>   | Do not release large quantities into the surface water or into drains.   |
| <b>6.3 Methods and material for containment and cleaning up</b>                | Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty. |
| <b>6.4 Reference to other sections</b>   | See Also Section 8 and 13.   |

### 7. SECTION 7: HANDLING AND STORAGE

- |   |   |
|---|---|
| <b>7.1 Precautions for safe handling</b>                                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Provide adequate ventilation. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke during work. Wash hands thoroughly after handling. |
| <b>7.2 Conditions for safe storage, including any incompatibilities</b> | Store locked up. Protect from sunlight.   |
| Storage Temperature   | Ambient. Do not expose to temperatures exceeding 50°C/ 122°F.   |
| Storage Life  | Stable under normal conditions.   |
| Incompatible materials  | Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber.   |
| <b>7.3 Specific end use(s)</b>  | A Black Magnetic Ink for use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2).  |

## NEOCOL B - AEROSOL

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

##### 8.1.2 Biological limit value

Not established.

##### 8.1.3 PNECs and DNELs

Not established.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

Provide adequate ventilation.

##### 8.2.2 Personal protection equipment

Eye/face protection

Wear suitable eye/face protection.



Skin protection (Hand protection/ Other)

Wear suitable protective clothing and gloves.



Respiratory protection

Not normally required. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.



Thermal hazards

During spraying wear suitable respiratory equipment: A suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor.

Not applicable.

##### 8.2.3 Environmental Exposure Controls

Do not release large quantities into the surface water or into drains.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Dark grey/ Black (Shaken).
Odour	Paraffinic.
Odour Threshold	Not available.
pH	Not applicable.
Melting Point/Freezing Point	Not applicable.
Initial boiling point and boiling range	235 - 270°C
Flash Point	>100°C
Evaporation rate	Not applicable.
Flammability (solid, gas)	Flammable aerosol.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	0.015 mm Hg @ 20°C
Vapour density	Not available.

## NEOCOL B - AEROSOL

Relative density	0.82
Solubility(ies)	Immiscible with water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Kinematic Viscosity	3.2cSt @ 40°C
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
<b>9.2 Other information</b>	None.

### 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions known if used for its intended purpose.
<b>10.4 Conditions to avoid</b>	Heat and direct sunlight.
<b>10.5 Incompatible materials</b>	Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber.
<b>10.6 Hazardous Decomposition Product(s)</b>	No hazardous decomposition products known.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>Acute toxicity</b>	
Ingestion	Low acute toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rat): > 5000mg/kg (OECD401).
Inhalation	Low acute toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LC50 (rat) 4hour(s): > 4951mg/m <sup>3</sup> (OECD403).
Skin Contact	Low acute toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rabbit): > 5000mg/kg (OECD402).
Eye Contact	Low acute toxicity.
<b>Skin corrosion/irritation</b>	Repeated exposure may cause skin dryness or cracking.
<b>Serious eye damage/irritation</b>	Non-irritant.
<b>Respiratory or skin sensitisation</b>	Not expected to be a skin or respiratory sensitiser.
<b>Germ cell mutagenicity</b>	There is no evidence of mutagenic potential.
<b>Carcinogenicity</b>	No evidence of carcinogenicity.
<b>Reproductive toxicity</b>	None anticipated.
<b>STOT - single exposure</b>	Not classified.
<b>STOT - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.
<b>11.2 Other information</b>	None.

## NEOCOL B - AEROSOL

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Low toxicity to aquatic organisms.
12.2	<b>Persistence and degradability</b>	The product is not biodegradable. There is evidence of photodegradation in air. The product is unlikely to persist in the environment.
12.3	<b>Bioaccumulative potential</b>	The product has potential for bioaccumulation.
12.4	<b>Mobility in soil</b>	Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments.
12.5	<b>Results of PBT and VPvB assessment</b>	Not classified as PBT or vPvB.
12.6	<b>Other adverse effects</b>	None.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill.
13.2	<b>Additional Information</b>	Disposal should be in accordance with local, state or national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

14.1	<b>UN number</b>	UN1950
14.2	<b>UN Proper Shipping Name</b>	AEROSOLS, Flammable.
14.3	<b>Transport hazard class(es)</b>	2
	<b>ADR/RID Class</b>	2.1
	<b>IMDG Class</b>	2.1
	<b>ICAO/IATA</b>	2.1
	<b>Passenger and Cargo Aircraft Limited Quantities Packing Instructions</b>	Y203
	<b>Passenger and Cargo Aircraft Limited Quantities Max net Qty</b>	30 kg G
	<b>Cargo Aircraft Packing Instructions</b>	203
	<b>Cargo Aircraft Max net Qty</b>	150 kg
	<b>Emergency Response Guidebook (ERG) Code</b>	10L
	<b>ADR Classification Code</b>	5F
	<b>AIMDG EmS</b>	F-D, S-U
	<b>Packing Group</b>	Not applicable
	<b>Labels</b>	2.1
	<b>Special Provisions</b>	190 327 344 625
	<b>Limited Quantities (LQ) Inner packaging</b>	1 L
14.4	<b>Environmental hazards</b>	Not classified as a Marine Pollutant.
14.5	<b>Special precautions for user</b>	
	<b>Tunnel Restriction Code</b>	D
14.6	<b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable



## 15. SECTION 15: REGULATORY INFORMATION

<b>15.1</b>	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>15.1.1</b>	<b>EU regulations</b>	
	Authorisations and/or restrictions on use	
	Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed.
	REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	All chemicals are not listed.
	REACH: ANNEX XIV List of substances subject to authorisation	All chemicals are not listed.
	REACH: ANNEX IV Exemptions from the Obligation to Register in accordance with Article 2(7)(a)	Listed: Carbon dioxide (CAS No.: 124-38-9)
	Community Rolling Action Plan (CoRAP)	All chemicals are not listed.
<b>15.1.2</b>	<b>National regulations</b>	None known.
<b>15.2</b>	<b>Chemical Safety Assessment</b>	Not applicable.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2, 3, ,5, 6, 7, 8, 9, 11, 12, 14, 15, 16.

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
OECD	Organisation for Economic Cooperation and Development
Aerosol 1	Aerosol Category 1
Press. Gas	Gases under pressure: Compressed gas
Asp. Tox. 1	Aspiration hazard Category 1

### Hazard statement(s) and Precautionary statement(s)

H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state or national legislation.

### Hazard pictogram(s)

GHS04



GHS08



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen

## NEOCOL B - AEROSOL

Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

**Annex to the extended Safety Data Sheet (eSDS)**

Not applicable.